TIME SAVED SOLUTIONS FOR YOUR BUILDINGS AND ROADS





Description

Boydur[®] 564 is a two-component resin based on methyl methacrylate (MMA). It fully cures in just 1 hour after application, making it ideal for road marking paint production. Boydur[®] 564 sets new standards in the road paint industry with its fast drying time and superior performance.

Best Solution for Time-Sensitive Areas

Boydur[®] 564 provides a quick and effective solution for areas where time is critical. Its short curing time accelerates your projects, ensuring smooth workflow without delays.

Versatile Applications

Boydur[®] 564 delivers excellent results in various areas, including military zones, airports, ports, industrial facilities, and roads. Its high performance ensures durable and long-lasting road markings.



Key Technical Specifications

Form: Liquid

Main Ingredient: Methyl Methacrylate (MMA)

Flow time (23°C): 75-100 sec/4mm

Density (20°C): 0.95 g/cm³

Refractive Index nD20: 1.44

Color Number: <50

Flash Point: 11°C

Shelf Life: minimum 6 months, in a dry, enclosed environment at room temperature

Produced Paint: High-quality and durable, cold-applied road marking paint with a thickness of 2-3 mm (Example: Boydur Marker 564)

Advantages of Boydur® 564

- **1. Fast Curing Time** Products made with methyl methacrylate (MMA) based resins dry completely in approximately 1 hour after application. The time may vary depending on air temperature and the amount of hardener component used.
- 2. Strong Durability High-performance composition ensures long-lasting and durable road markings.
- 3. Wide Range of Applications Ideal for road marking production. It is weather-resistant and longlasting.
- 4. Ease of Application User-friendly and easy to mix, Boydur® 564 saves time and simplifies the application process.

Boydur® 564: The Best Solution for Road Marking Paint Production

Choose Boydur[®] 564 for reliable, fast, and efficient road marking paint production. Its versatile applications, strong durability, and ease of use make it a preferred choice among professionals.



BOYTORUN KİMYA SANAYİ A.Ş. İ.E.T.T. Sitesi,3. Blok,D:1,Emirgan-34467,İstanbul,TR., T: 0212 229 28 29-34, F: 0212 229 18 59 info@boytorun.com , WhatsApp: 0542 437 9005, www.boytorun.com, www.boydurm12.com

